

Add:Bali Vallage Qiaoxia Town, Yongjia County, Wenzhou City, Zhejiang Province, China.

Durable Aluminum Ethanol Gasoline Dryer Box for Fuel Storage Safety



The ethanol gasoline dryer is typically installed in the middle of the above-ground vent pipe connected to the underground fuel tank, serving to absorb water vapor coming in from the vent valve. It is an essential accessory for ethanol gasoline tanks, effectively preventing moisture from the air from infiltrating the ethanol gasoline inside the tank. With its lightweight and compact structure, quick installation, and the ability to ensure the safety of fuel, conserve energy, and maintain the dry and clean condition of the equipment, it plays a crucial role in ethanol gasoline storage.



Technique Specification:

Body: Aluminum
 Cap: Aluminum
 Gasket:Teflon or Buna-N
 Temperature Range:-20~+70°C
 Working Pressure:0.3 Mpa
 Diameter Sizes:50 mm(2 inches)
 Desiccant: Not Included

Ordering Specifications:

Item No.	Connection Type	Diameter Sizes	Flange Hole Center to Hole Center and Hole Qty.
HBEGD -50	Round Flange	50 mm Flange X 50 mm Flange	125 mm and 4 Holes
HBEGD -50T	Male Thread	2 inch NPT or BSPT Male Thread	

HBCCD Color-changing Silica-gel Desiccant



HBCCD Color-changing Silica-gel Desiccant will change color obviously as it absorbs more moisture, making it a useful "humidity indicator." It can be regenerated at temperatures between 100 and 200 degrees Celsius. The main ingredient is silicon dioxide, which is stable, non-toxic, odorless, and non-flammable. Due to its strong moisture-absorbing ability, it should be stored in a sealed place, and during transportation, it should be protected from rain and excessive moisture.

Technique Specification:

Product weight: 500 Grams
 (net weight 470 Grams Per Bottle)
 Moisture content: 3%
 Shelf life: Three years
 Color Change: from original blue color to red color after absorbs moisture.

HBEGD-S-50 Stainless Steel 304 Ethanol Gasoline Dryer Box with Sight-glass



Technique Specification:

Body: Stainless Steel 304
 Cap: Stainless Steel 304
 Gasket:Teflon
 Temperature Range:-20~+70°C
 Working Pressure:0.3 Mpa
 Diameter Sizes:50 mm(2 inches)
 Desiccant: Not Included

HB Equipment shall be used in compliance with applicable country, province and local laws and regulations. Products selection shall be based on physical specifications and limitations and compatibility with the environment.